



PREMIUM SOLUTION



QUICK ASSEMBLY
MONTAJE RÁPIDO



HIGH TECHNOLOGY
ALTA TECNOLOGÍA



EASY TO USE
FÁCIL DE USAR



RECYCLABLE
RECICLABLE



NO TOOLS
SIN HERRAMIENTAS




DOUBLE ADJUSTMENT (UP/DOWN)
DOBLE REGULACIÓN (ARRIBA/ABAJO)

NEW

SEE VIDEO



MIRA EL VIDEO.



dek

Sustaining Elegance

DEK - PREMIUM SOLUTION BY CAR

New structural shelf support system for the **Premium Solution line**, engineered to combine high load-bearing performance, compact dimensions, and fast installation. With a diameter of **only 14 mm**, DEK delivers a minimal yet high-performance support solution for contemporary furniture applications.

The system enables tool-free shelf installation, optimizing assembly time thanks to its exclusive snap-fit locking mechanism. The expanding sleeve system allows the shelf to be repositioned without damaging the drilled hole, ensuring precision, reliability, and complete concealment once installed.


DEK - SOLUCIÓN PREMIUM DE CAR

Nuevo sistema estructural de soporte para estantes de la línea **Premium Solution**, diseñado para combinar una elevada capacidad de carga, dimensiones compactas y una instalación rápida. Con un diámetro de solo **14 mm**, DEK ofrece una solución de soporte minimalista y de alto rendimiento para aplicaciones de mobiliario contemporáneo.

El sistema permite la instalación de los estantes sin herramientas, optimizando los tiempos de montaje gracias a su exclusivo mecanismo de unión por encaje. El sistema de casquillo expansible permite reposicionar el estante sin dañar el orificio de perforación, garantizando precisión, fiabilidad y una ocultación total una vez instalado.



MORE THAN JUST COMPONENTS



Technical Features

- Structural shelf support
- Tool-free assembly and locking system
- Compact dimensions (Ø 14 mm)
- The expansion fixing technology with expanding sleeve and pre-assembled screw allows the shelf to be repositioned without altering or damaging the drilled hole.

Características técnicas

- Soporte estructural para estantes.
- Sistema de montaje y bloqueo sin herramientas.
- Dimensiones compactas (Ø 14 mm).
- La tecnología de fijación expansiva, con casquillo expansible y tornillo premontado, permite repositionar el estante sin modificar ni dañar el orificio de perforación.


Technical & Design Advantages

- High structural stability and secure locking performance
- Tool-free installation system for faster and more efficient assembly.
- Quick mounting and dismounting, simplifying shelf repositioning and maintenance.
- Timeless design available with round or square base, perfectly adaptable to any furniture style and interior solution.
- Invisible integrated support system for a clean and minimalist aesthetic.

Ventajas técnicas y design

- Alta estabilidad estructural y excelente rendimiento de bloqueo para una fijación segura.
- Sistema de instalación sin herramientas que permite un montaje más rápido y eficiente.
- Montaje y desmontaje rápidos, facilitando el reposicionamiento de los estantes y las operaciones de mantenimiento.
- Design atemporal disponible con base redonda o cuadrada, adaptable a cualquier estilo de mobiliario y solución de interiorismo.
- Sistema de soporte integrado completamente invisible para una estética limpia y minimalista.

Locking system Sistema de bloqueo



How the System Works

The plastic support integrates two key technical features:

- Internal interlocking structure: prevents accidental release and guarantees a secure mechanical lock.
- Spring push tab mechanism: locks the support into place with a precise click system and can only be released with an Allen key for safe removal.

Cómo funciona el sistema

El soporte de plástico integra dos características técnicas clave:


- Estructura interna de enclavamiento: evita la liberación accidental y garantiza un bloqueo mecánico seguro.
- Mecanismo de pestaña elástica de empuje: bloquea el soporte en su posición mediante un preciso sistema de clic y solo puede liberarse utilizando una llave Allen, garantizando una extracción segura.

Advanced Expansion Technology

This system, featuring the expanding sleeve version with internal locking teeth, prevents damage or deformation of the wooden panel, keeping the drilled hole perfectly intact during shelf repositioning while preserving both structural integrity and aesthetic quality.

Tecnología avanzada de expansión

Este sistema, equipado con una versión de casquillo expansible con dientes de bloqueo internos, evita daños o deformaciones en el panel de madera, manteniendo el orificio de perforación perfectamente intacto durante el reposicionamiento del estante y preservando tanto la integridad estructural como la calidad estética del mueble.




PLASTIC/ZAMAK SUPPORT

Soporte de plástico/Zamak

ART.	Ø	L	SP	
IP21569	14	12,8	15/19	2000
IP21669	14	17,2	22/30	2000

FINISHES/ACABADOS: ..ZN ..NI




BRACKET - ROUND BASE

SOPORTE - BASE REDONDA

ART.	X	L	SP	
IP20815	8	12,8	15/16	2000
IP20915	9,5	14,4	18/19	2000
IP21015	11	16	22	2000
IP21115	12,5	17,4	25	2000
IP21215	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN




BRACKET - SQUARE BASE

SOPORTE - BASE CUADRADA

ART.	X	L	SP	
IP22815	8	12,8	15/16	2000
IP22915	9,5	14,4	18/19	2000
IP23015	11	16	22	2000
IP23115	12,5	17,4	25	2000
IP23215	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN




BRACKET WITH PIN - ROUND BASE

SOPORTE CON PERNO - BASE REDONDA

ART.	X	L	SP	
IP22415	9,5	14,4	18/19	2000

FINISHES/ACABADOS: ..NI ..NN





BRACKET WITH PIN - SQUARE BASE

SOPORTE CON PERNO - BASE CUADRADA



ART.	X	L	SP	
IP21915	9,5	14,4	18/19	2000

FINISHES/ACABADOS: ..NI ..NN


BRACKET WITH PRE-ASSEMBLED SCREW AND BUSH - ROUND BASE
 SOPORTE CON TORNILLO Y CASQUILLO PREMONTADOS - BASE REDONDA


ART.	X	L	SP	
IP20820	8	12,8	15/16	2000
IP20920	9,5	14,5	18/19	2000
IP21020	11	16	22	2000
IP21120	12,5	17,4	25	2000
IP21220	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN


BRACKET WITH PRE-ASSEMBLED SCREW AND BUSH - SQUARE BASE
 SOPORTE CON TORNILLO Y CASQUILLO PREMONTADOS - BASE CUADRADA


ART.	X	L	SP	
IP22820	8	12,8	15/16	2000
IP22920	9,5	14,5	18/19	2000
IP23020	11	16	22	2000
IP23120	12,5	17,4	25	2000
IP23220	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN


BRACKET WITH 9 MM EURO SCREW - ROUND BASE
 SOPORTE CON TORNILLO EURO DE 9 MM - BASE REDONDA


ART.	X	L	SP	
IP20835	8	12,8	15/16	2000
IP20935	9,5	14,5	18/19	2000
IP21035	11	16	22	2000
IP21135	12,5	17,4	25	2000
IP21235	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN


BRACKET WITH 9 MM EURO SCREW - SQUARE BASE
 SOPORTE CON TORNILLO EURO DE 9 MM - BASE CUADRADA


ART.	X	L	SP	
IP22835	8	12,8	15/16	2000
IP22935	9,5	14,5	18/19	2000
IP23035	11	16	22	2000
IP23135	12,5	17,4	25	2000
IP23235	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN


BRACKET WITH 13 MM EURO SCREW - ROUND BASE
 SOPORTE CON TORNILLO EURO DE 13 MM - BASE REDONDA


ART.	X	L	SP	
IP23335	8	12,8	15/16	2000
IP23435	9,5	14,5	18/19	2000
IP23535	11	16	22	2000
IP23635	12,5	17,4	25	2000
IP23735	15	20	28/30	2000

FINISHES/ACABADOS: ..NI ..NN



BRACKET WITH 13 MM EURO SCREW - SQUARE BASE
 SOPORTE CON TORNILLO EURO DE 13 MM - BASE CUADRADA

ART.	X	L	SP	
IP23835	8	12,8	15/16	2000
IP23935	9,5	14,5	18/19	2000
IP24035	11	16	22	2000
IP24135	12,5	17,4	25	2000
IP24235	15	20	28/30	2000


FINISHES/ACABADOS: ..NI ..NN




Assembly/Montaje Upper part/Superior



Assembly/Montaje Shelf/Estante



Assembly/Montaje Bottom part/Inferior





CAR S.R.L.
commerce@car-fittings.it
www.car-fittings.it

